

MANUFACTURER OF CLEAN UP AND EXCAVATION VACUUMS FOR THE CONSTRUCTION, REHABILITATION AND UTILITY INDUSTRIES



POWER VAC OPTIONS



- 1 LED DOT Traffic Director 3 Diesel Motor
- 2 Telescoping Boom 4 100 Gallon Fresh Water 6 Tool Box (200, 400 Gallon Optional)
- (5) Flood Light Set (7) 50 ft Hose/Pressure Washer (8) Vacuum Reverse Flow

Applications:

- Dewatering holes/pits/vaults
 Cleaning valve car
- Debris/mud removal
- Pot-holing

- Suck up HDD drill

Conf

Step 1: Select Capacity (Gallons) Debris Tank

Step 2: Select Output/Blower capacity (CFM)

Step 3: Select Capacity Water tank(s) -100 or 20



(US Gallons) PV350

> PV500 PV800 PV1200

Output/Blower Capacity: Water Tank:

Gas Standard Output = "GSO" (525 CFM) "100" Gas High Output = "GHO" (825 CFM) "200"

Diesel High Output = "DHO" (825 CFM) "400"



ns & vaults ing mud

 $\overline{4}$

6



"Proudly made in the USA since 1993."

figure Your System:

Step 4: Select Options Package: Bronze/Silver/Gold

Step 5: Select equipment Mounting Option: Skid or Trailer

or 400 Gal.

Bronze:

Pressure Washer LED Traffic Director Traffic Cone Holder Tank Level Sight Glass

Options Package: Silver:

Pressure Washer LED Traffic Director Traffic Cone Holder Tank Level Sight Glass Telescoping Boom Night Lights

Gold:

Pressure Washer
LED Traffic Director
Traffic Cone Holder
Tank Level Sight Glass
Telescoping Boom
Night Lights
Tool Box
Reverse Flow

Mounting Options:

Skid = "S" Trailer = "T"

Example Pacific-Tek Model #:

PV350-GSO-100-BRONZE-S PV500-GHO-200-SILVER-T PV800-DHO-400-GOLD-T



OPTIONS/UPGRADES





Vacuum Reverse Flow

200 or 400 Gallon Fresh Water Saddle Bag Tanks



Flood Light Set

PARTS & ACCESSORIES

